



ఆంధ్రప్రదేశ్ రాజపత్రము
THE ANDHRA PRADESH GAZETTE
PUBLISHED BY AUTHORITY

W.No.10

AMARAVATI, MONDAY, MARCH 11, 2024

G.4033

PART II - MISCELLANEOUS NOTIFICATIONS OF INTEREST TO THE PUBLIC

--X--

NOTIFICATIONS BY HEADS OF DEPARTMENTS Etc.,

**ENGINEER-IN-CHIEF (ADMIN),
WATER RESOURCES DEPARTMENT,
4th Floor, Jalasoudha,
Irrigation Compound, Vijayawada.
Governorpet, Vijayawada-520002, NTR District, A.P.**

Letter No.RC/ENC/K/DEE1(V)/AEE1/E-8554117.

Date: 06-03-2024 .

CHARGED OFFICER NOT ATTENDING TO THE INQUIRY - A.O.Cs AND NOTICES ISSUED TO THE INDIVIDUAL AND HAS NEITHER SUBMITTED HIS WRITTEN STATEMENT OF DEFENCE NOR ATTENDED THE INQUIRY.

- Ref:** 1. Go. Rt. No:21, Water Resource [VIG.I/A2] Department, Dt:11.01.2018
2.Go.Rt. No:362 of Water Resources (Vigilance-1/A2) Department, Dt:17.7.2019
3. From I.O, Notice No: RO/WQL/Dowlm/Inquiries/ 143M, Dt: 21 .08.2021
4. From I.O, Notice No: RO/wal/Dowlm/Inquiries/ 158M, Dt: 14 .09.2021
5. From I.O, Notice No: RO/WQL/Dowlm/Inquiries/ 212M, Dt: 22.12.2021
6. From I.O, Notice No: RO/wal/Dowlm/Inquiries/ 36M, Dt: 25.01.2022
7. From I.O, Notice No: RO/WQL/Dowlm/Inquiries/ 42M, Dt: 15.02.2022
8. From I.O, Notice No: RO/WQL/Dowlm/Inquiries /58M, Dt 17.03.2022
12. From I.O, Notice No: RO/WQL/Dowlm/Inquiries/ 153M, Dt: 29.07.2022
13. From I.O, Notice No: EE-Unit /Vijayawada/Inquiries/ Dt:24.11.2023
14. From I.O, Notice No: EE-Unit /Vijayawada/Inquiries/ Dt:08.12.2023
15. From I.O, Lr.No:RO/WQL/DOWL/Inquiries/SVPR Dt:16.02.2024

It is to inform that the following Assistant Engineer of this Department is not attending to the inquiry for the notices against his name and they have been issued Articles of Charges for allegation of possession of **Assets Disproportionate** to the known sources of his income against Sri Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer, Quality Control Sub-Division, Irrigation & CAD Department, Kakinada, East Godavari District, now retired. Even after several notices, the charged officer has not attended inquiry till date and only submitting acknowledgements.

File No.	Name of the AE	D.O.B. / Zone	Charges	Remarks.
1)S1(2)/1307 1586/2013	Sri Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer (Retd.)	10-06-1956 Zone-II	Assets Disproportionate to the known sources of his income	1). Articles of charges were issued by Government vide Go. Rt. No: 21 , Water Resource [VIG.I/A2] Department, Dt:11.01.2018. But not submitted the Written statement of defence till now. 2). Final Notices issued by the Inquiry officers vide Notice No: EE-Unit /Vijayawada/Inquiries/ Dt:08.12.2023. But, not attended to the inquiry.

In this connection, the Inquiry officer, Sri N.V.Ramana, Executive engineer, submitted that as per the Para 4 of Chapter XVIII of Hand Book for Inquiry officers and Disciplinary Authorities (Annexure:VII), it was mentioned that it is necessary to publish a **Gazette Notification** whenever the Charged officer not attending to the Inquiry.

R. SATISH KUMAR,
Engineer-in-Chief (Admn.).

Copy submitted to the Secretary to Government, W.R Department, 1st floor, 4th block, Velagapudi, Amaravathi for favour of information

Copy to the Sri N.V.Ramana, Executive Engineer, EE-Unit, O/o the Engineer-in-Chief (Irrigation), Govrner Peta, Irrigation Compound, Vijayawada for information.

WATER RESOURCES DEPARTMENT (VIGILANCE-I/A2)

ALLEGATION OF POSSESSION OF ASSETS DISPROPORTIONATE TO THE KNOWN SOURCES OF HIS INCOME AGAINST Sri SRIVATSAVAYA VENKATA PADMANABHA RAJU, ASSISTANT ENGINEER, QUALITY CONTROL SUB-DIVISION, IRRIGATION & CAD DEPARTMENT, KAKINADA, EAST GODAVARI DISTRICT, NOW RETIRED - DEPARTMENTAL ACTION INITIATED - ARTICLES OF CHARGES.

[G.O.Rt.No.21, Water Resources (Vigilance-I/A2), 11th January, 2018.]

Read:-

G.O.Ms.No.5, Water Resources (Ser.VI-1) Department,
Dated 11.01.2018.

ORDER:

In pursuance of the sanction accorded by the Government under Sub-clause (i) of clause (b) of sub-rule (2) of Rule 9 of the A.P. Revised Pension Rules, 1980 for instituting departmental proceedings against Sri Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer, Quality Control Sub-Division, Irrigation & Cad Department, Kakinada, East Godavari District, now retired, in the reference read above, it is proposed to hold an inquiry against the said Sri Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer (Retired) in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification Control and Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set-out in the enclosed statement of articles of charge (Annexure-I). A statement of imputations of misconduct or misbehaviour in support of article of charge is enclosed (Annexure-II). A list of witnesses by whom, and a list of documents by which, the articles of charge are proposed to be sustained are also enclosed (Annexure III and IV).

3. Sri Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer (Retired) is directed to submit a written statement of his defense within 10 days of the receipt of this order.

4. Sri Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer (Retired) is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer (Retired) is further informed that if he does not submit his written statement of defense on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (CCA) Rules, 1991 or the orders issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Attention of Sri Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer (Retired) is invited to Rule 24 of the A.P.Civil Services (Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer (Retired) is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule 24 of the A.P.Civil Service (Conduct) Rules, 1964.

7. The Engineer-in-Chief (AW), Water Resources Department, Vijayawada, is requested to communicate the date of acknowledgement of Accused Officer immediately.

8. The receipt of the G.O shall be acknowledged.

SHASHI BHUSHAN KUMAR,
Secretary to Government.

To

Sri Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer, Quality Control Sub-Division, Irrigation & CAD Department, Kakinada, East Godavari District, now retired (**through** The Engineer-in-Chief(AW), Water Resources Department, D.No:48-10-9/1, N.H. Feeder Road, Currency Nagar, Vijayawada-520008)

The Engineer-in-Chief(AW), Water Resources Department, D.No:48-10-9/1, N.H.Feeder Road, Currency Nagar, Vijayawada-520008

WATER RESOURCES DEPARTMENT (VIGILANCE-I/A2)

ALLEGATIONS OF POSSESSION OF ASSETS DISPROPORTIONATE TO THE KNOWN SOURCES OF HIS INCOME AGAINST Sri SRIVATSAVAYA VENKATA PADMANABHA RAJU, ASSISTANT ENGINEER, QUALITY CONTROL SUB-DIVISION, IRRIGATION CAD DEPARTMENT, KAKINADA, EAST GODAVARI DISTRICT, NOW RETIRED - DISCIPLINARY PROCEEDINGS INITIATED UNDER RULE 20 OF A.P.C.S (CC&A) RULES, 1991 - APPOINTMENT OF Sri N.V.RAMANA, RESEARCH OFFICER, WATER QUALITY LABS, DOWLAISWARAM, AS INQUIRY AUTHORITY.

[G.O.Rt.No.362, Water Resources (Vigilance-I/A2), 17th July, 2019.]

Read the following :-

1. G.O.Rt.No.21, Water Resources (Vig-I) Dept., dated 11.01.2018.
2. Letter No.Rc/ENC/SI(2)/13071586/2013, dated 04.04.2018, along with dated acknowledgment received from the Engineer-in-Chief (AW), Water Resources Department, Vijayawada.

< < > >

ORDER:

Whereas, an enquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer, Quality Control Sub-Division, Irrigation & CAD Department, Kakinada, East Godavari District, now retired.

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer, Quality Control Sub-Division, I&CAD Department, Kakinada, East Godavari District, now retired.

3. Now, therefore, in exercise of the powers conferred by Sub-rule (2) of Rule 20 of the said rules, the disciplinary Authority hereby appoints, Sri N.V.Ramana, Research Officer, Water Quality Labs, Dowlaiswaram, as an Inquiring Authority to inquire into the charges framed against Sri Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer, Quality Control Sub-Division, I&CAD Dept., Kakinada, East Godavari District, now retired.

4. Article of Charges and Dated acknowledgment submitted by the Engineer-in-Chief (AW), Water Resources Department, Vijayawada are forwarded herewith to the Inquiry Officer. The Presenting Officer will produce other original documents relating to the case before the Inquiry Officer. The Inquiry Officer is requested to complete the enquiry and submit report within

the prescribed time and the prescribed proforma as per the orders issued in G.O.Ms.No.679, General Administration (Ser-C) Department, dated 01.11.2008 and Circular Memo.No.56183/Ser.C/99, General Administration (Ser-C) Department, dated 15.10.1999.

ADITYA NATH DAS,
Special Chief Secretary to Government.

To

Sri N.V.Ramana, Research Officer, Water Quality Labs, Dowlaiswaram, as an Inquiring Authority (**through** the Engineer-in-Chief (AW), Water Resources Department, Vijayawada)

Sri Srivatsavaya Venkata Padmanabha Raju, Asst., Engineer, Quality Control Sub-Division, I&CAD Dept., Kakinada, East Godavari District, now retired (**through** the Engineer-in-Chief (AW), Water Resources Department, Vijayawada)

WATER RESOURCES DEPARTMENT

ANNEXURE-V

O/o the EE-Unit,
In O/O Engineer-in-Chief (Irrigation)
Irrigation Compound,
Governor Peta, Vijayawada

Notice No: EE-Unit / Vijayawada/Inquiries/ , Dt: 08.12.2023

To

Sri S. Venkata Padmanabha Raju
Assistant Engineer (Retd),
C/o S.V.Ravi Varma,
Arya Anantha Road No 1,
J.R. Nagar, Venkojipalem,
Visakhapatnam, PIN: 530022

- Ref: 1. Go. Rt. No:21, Water Resource [VIG.I/A2] Department, Dt:11.01.2018
2. Go. Rt No: 362, Water Resource [VIG.I/A2] Department, Dt:17.07.2019,
3. Govt. Memo No.15722/Vig-I/A2/2013-7, Dated: 27.08.2019
4.This Office Notice No: RO/WQL/Dowlm/Inquiries/ 143^M, Dt: 21 .08.2021
5.This Office Notice No: RO/WQL/Dowlm/Inquiries/ 158^M, Dt: 14 .09.2021
6. This office Notice No: RO/WQL/Dowlm/Inquiries/ 212^M, Dt: 22.12.2021
7.This office Notice No: RO/WQL/Dowlm/Inquiries/ 42^M, Dt: 15.02.2022
8.Your letter Dated: 15.03.2022
9.This office Notice No: RO/WQL/Dowlm/Inquiries / 58^M, Dt 17.03.2022
10.This office No: RO/WQL/Dowlm/Inquiries/ 73^M, Dt:25.04.2022
11.This office No: RO/WQL/Dowlm/Inquiries/ 102^M, Dt:25.05.2022
12. This office No: RO/WQL/Dowlm/Inquiries/ 124^M, Dt:29.06.2022
13. This office No: RO/WQL/Dowlm/Inquiries/ 153^M, Dt:29.07.2022
14. Notice No: RO/WQL/Dowlm/ 59^M, Dated 29.03.2023
15. Notice No: RO/WQL/Dowlm/Inquiries/ 63^M, Dt: 10.04.2023.
16. Notice No: RO/WQL/Dowlm/Inquiries/ 65^M, Dt: 19.04.2023
17. Notice No: RO/WQL/Dowlm/Inquiries/ 74^M, Dt: 27.04.2023

18. Notice No: RO/WQL/Dowlm/Inquiries/ 82^M, Dt: 08.05.2023
19. Notice No: RO/WQL/Dowlm/Inquiries/ 94^M, Dt: 20.05.2023
20. Notice No: EE-Unit / Vijayawada/Inquiries/ Dt: 4.07.2023
21. Notice No: EE-Unit / Vijayawada/Inquiries/ , Dt: 14.07.2023
22. Notice No: EE-Unit / Vijayawada/Inquiries/ , Dt: 31.07.2023
23. Notice No: EE-Unit / Vijayawada/Inquiries/ , Dt: 16.08.2023
24. Notice No: EE-Unit / Vijayawada/Inquiries/ , Dt: 11.09.2023
25. Notice No: EE-Unit / Vijayawada/Inquiries/ , Dt: 24.11.2023

Govt. issued orders vide Go. Rt No: 362, Water Resource [VIG.I/A2] Department, Dt: 17.07.2019 to the undersigned to inquire about the Article of charges framed vide ref 1st cited against Sri S. Venkata Padmanabha Raju, Assistant Engineer (retd.) for possession of assets Disproportionate to the known sources of his income acquiring assets under rule 20 of the Andhra Pradesh Civil Service (Classification Control and Appeal) Rules 1991.

It is to inform that you have responded to only two notices issued to you vide ref 7th and 11th cited and there is no response to the other notices issued to you vide ref 4th to 25th. You have also not submitted a Written statement defense in response to the Article of charges issued to you and in spite of several notices issued from time to time, there is no representation from you and also not proposed any defense counsel on behalf of you.

Finally it is requested to appear for Inquiry on **18.12.2023 at 11.00 AM** before Inquiry officer, Sri N.V.Ramana, Executive Engineer, EE-Unit, 1st floor, O/o the Engineer –in-Chief (Irrigation), GovrnerPeta, Irrigation Compound, Vijayawada. Treat this as a last call or otherwise Ex party Inquiry will be conducted.

The copy of this notice duly signed by you shall be returned to this Office.

(Sd/-).,
Executive Engineer and Inquiry Officer,
EE-Unit, 1st floor,
O/o the Engineer -In-Chief (Irrigation),
Govrnerpeta,
Irrigation Compound, Vijayawada-520002.

- ✓ 1. Copy submitted to the Principal Secretary to Govt, Water Resources Department, A.P. Secretariat, Velagapudi, Amaravathi, Guntur Dist. for information.
2. Copy submitted to the Engineer–in–Chief (AW), Water Resource Department, Irrigation compound, Governor Peta, Vijayawada for information.